

Professional Seals

Interior Alteration For:

FOODS LION

2110 Executive Drive, Salisbury, NC 28145/ Ph: 704.633.9250

30214 Sussex Hwy
Laurel, DE 19955

458

3 No.

All reports, specifications, plans, computer files, field data, notes, and other documents and instruments of service shall remain the property of the Design Professional. The Design Professional shall retain all common law, statutory and other reserved rights, including the copyright thereto.

This drawing is the property of
Yates - Chreitzberg - Hughes Architects and is
not to be reproduced or copied in whole or
any part. It is not to be used on any other
project and is to be returned upon request.

Project No.:

File Name:
1458 E1 02 00.dwg

Date: 09/20/19

11

LI.02

10018 00

© 2006 The Authors

7055 Northwinds Dr NW















[illegible]

vcharch.com



1. SURFACE MOUNTED HAND DRYERS TO BE POWERED FROM EXISTING ELECTRICAL SERVICE.
2. COORDINATE GPO RECEPTACLE HEIGHT WITH COUNTER TOP HEIGHT (50" AFF). COORDINATE EXIST HEIGHT WITH FOOD LINE CONSTRUCTION REQUIREMENTS.
3. LOCATE EQUIPMENT HEIGHT TO NEW LOCATION. EXTEND CIRCUIT AS REQUIRED.
4. ELECTRICAL CONTRACTOR WIRING TO NEW EQUIPMENT (REPLACING EXISTING EQUIPMENT). ELECTRICAL CONTRACTOR TO VERIFY EXISTING CIRCUIT IS NOT OVERLOADED.
5. ELECTRICAL CONTRACTOR SHALL FIELD VERIFY THAT ALL ELECTRICAL CONNECTIONS ARE CAPPED OFF WITHIN 5' OF THE FINAL LOCATION OF THE RELOCATED POWER EXCHANGES.
6. ELECTRICAL CONTRACTOR SHALL REMOVE ALL WIRING AND CAP OFF DISCONNECTS.
7. THE ELECTRICAL CONTRACTOR SHALL PROVIDE GPO, WR, WP, AND RECEPTACLE FROM RELOCATED EQUIPMENT TO NEW LOCATION EXACT LOCATION OF RECEPTACLE WITH FOOD LINE CONSTRUCTION SUPERVISOR.
8. CONDUITS ON THIS WALL TO BE RECESSED BEHIND GPO.
9. SUPPLY RECEPTACLE MOUNTED 18" AFF (CMBE OVERLAP).
10. VERIFY EXISTING CONNECTIONS MEET FOOD LINE REQUIREMENTS.
11. ALL COMMUNICATIONS CONNECTION REQUIREMENTS FOR REDUCED LOCATION.

QUAD. DEO

-  QUAD RECEPTACLE
-  JUNCTION BOX
-  WEATHERPROOF DUPLEX RECEPTACLE
-  GROUND FAULT INTERRUPTING RECEPTACLE
-  ISOLATED GROUND RECEPTACLE
-  SPECIAL USE RECEPTACLE. VOLTAGE, PHASE AND AMPERAGE, BASED ON LOAD SERVED. COORDINATE NEMA CONFIGURATION WITH EQUIPMENT REQUIREMENTS.
-  SWITCH
-  FLOOR STUB UP
-  DISCONNECT SWITCH—TYPE AS NOTED
-  ELECTRICAL DROP FROM OVERHEAD
-  EXISTING ELECTRICAL STUB-UP
-  TELE-POWER POLE
-  ELECTRICAL CONNECTION UNDER CASE
-  MAGNETIC SWITCH (EXISTING)